

864770 SHEET 1 OF 4
350 MAG MPI WITH VELVET DRIVE 71C IN-LINE TRANSMISSION

UNIT OF MEASURE in. [mm]	SCALE 1" = 1' 25.4mm = 304mm
-----------------------------	------------------------------------



NOTES:
(1) DIMENSIONS REQUIRE A MINIMUM 1/2 in. (13mm) CLEARANCE FOR MOTOR MOUNT DEFLECTION.
(2) DIMENSIONS TO SEA WATER PUMP INLET.


864770 SHEET 2 OF 2
 350 MAG MPI WITH VELVET DRIVE 71C IN-LINE TRANSMISSION

NOTES:

(1) DIMENSIONS REQUIRE A MINIMUM 1/2 in. (13mm) CLEARANCE FOR MOTOR MOUNT DEFLECTION.

UNIT OF MEASURE in. [mm]	SCALE 1" = 1' 25.4mm = 304mm
-----------------------------	------------------------------------






864770 SHEET 3 OF 4
350 MAG MPI WITH VELVET DRIVE 71C IN-LINE TRANSMISSION

NOTES:

- (1) DIMENSIONS REQUIRE A MINIMUM 1/2 in. (13mm) CLEARANCE FOR MOTOR MOUNT DEFLECTION.
- (2) BASE OF MOUNT TO BE PARALLEL TO STRINGER. MOUNTS SHOWN AT CENTER OF ADJUSTMENT.
- (3) DIMENSIONS APPLY TO POINT OF INTERSECTION OF OUTPUT SHAFT CENTERLINE AND OUTPUT FLANGE FACE.



$4\frac{13}{16}$ [123]

$33\frac{1}{4}$ [844]



$29\frac{1}{8}$ [740]
WITH 6"
RISER
(1)

$26\frac{3}{4}$ [679]
WITH STD.
& 3" RISER
(1)

CRANKSHAFT
C.L.

$9\frac{1}{2}$ [241]

$7\frac{3}{8}$ [187]

$\frac{9}{16}$ [14]
(2)

3 [76]
(3)

$1\frac{11}{16}$ [43]

$7\frac{9}{16}$ [192]

$4\frac{15}{16}$ [125]
(3)

$24\frac{15}{16}$ [633]

$13\frac{7}{16}$ [341]